



Wall mounted gas condensing boiler

Affordable excellence: elevate your comfort levels with our exceptional new wall mounted gas condensing boiler **VITODENS classic** (type BPKB)



Compact and efficient wall mounted gas condensing boilers
with a very attractive price/performance ratio



Vitodens classic featuring an attractive design
in Vitopearlwhite

As a large-scale manufacturer with many years of experience in the production of wall mounted boilers, we know what matters. Viessmann product quality is something you can rely on, and the very attractively priced Vitodens classic is no exception.

Viessmann wall mounted boilers are renowned not just for their innovative technology and performance, but for their reliability and durability too. Thanks to advanced assemblies, this wall mounted gas condensing boiler is extremely compact and can be installed even in small recesses. No side service clearances are required, since all the connections are easily accessible from the front.

The Vitodens classic is ideal for modernisation projects in apartments or single-family houses. It is available as a combi boiler (with integral instantaneous water heater) with outputs of 5 to 25 kW.

Stainless steel Inox-Radial heat exchanger: efficient and durable

Stainless steel makes all the difference. The corrosion-resistant, stainless steel Inox-Radial heat exchanger plays a crucial role within the Vitodens classic. It efficiently converts the input energy into heat. In addition, the particularly durable, high grade stainless steel ensures reliability.



Inox-Radial heat exchanger


10 year guarantee

on stainless steel heat
exchangers for oil/gas
condensing boilers up
to 150 kW

For conditions, see
www.viessmann.de/garantie

**MatriX-Plus burner:
the heart of your heating system**

Among the benefits of the MatriX-Plus burner are its efficient operation, quiet running and low emissions. The special stainless steel MatriX surface is resistant to high temperatures, which ensures reliable performance and a long service life.



MatriX-Plus burner

Easy operation with optional remote control

The heating water and DHW temperatures can be set quickly with the user friendly pushbuttons. Operating states and temperatures are shown on the digital display screen.




LCD screen with white backlight and 4 buttons

Benefits of the Vitodens classic



- + Very attractive price/performance ratio
- + Durable and efficient thanks to Inox-Radial stainless steel heat exchanger
- + MatriX-Plus burner for permanently high efficiency and clean combustion
- + Straightforward operation via control unit featuring LCD screen with white backlight and 4 buttons
- + Ideal for installation in the living space due to low operating noise and compact dimensions
- + Low installed height for easier replacement of old boilers

VITODENS classic
(type BPKB)

- 1 MatriX-Plus burner
- 2 Inox-Radial heat exchanger
- 3 Basic controls
- 4 High efficiency pump
- 5 Expansion vessel (8 litres)



Wall mounted gas condensing boiler **VITODENS classic**

Appliance type		Combi boiler (type BPKB)
Rated heating output range		
50/30 °C	kW	5.0 – 25.0
80/60 °C	kW	4.5 – 22.7
Dimensions		
Length	mm	300
Width	mm	400
Height	mm	700
Weight	kg	34
Flue gas connection	Ø mm	60
Ventilation air connection	Ø mm	100
Combi boiler DHW output	kW	29.1
Draw-off rate	l/min	12
Energy efficiency class		



Vitodens classic
(type BPKB)

Product features

- + Gas condensing combi boiler
- + Rated heating output from 5 to 25 kW
- + Standard seasonal efficiency [to DIN]: up to 98 % (H_s) [gross cv]
- + Modulation range down to 1:5 (5 to 25 kW)
- + Power saving, high efficiency circulation pump
- + Energy efficiency class: A

Special benefit of the Vitodens classic combi boiler (type BPKB):

- + High level of DHW convenience as a result of the standby function

Your trade partner